



MATERIAL SAFETY DATA SHEET

Wynn's Antifoam Concentrate

WYNN'S
A division of Illinois Tool Works Inc.
1151 West Fifth Street
Azusa, California 91702

EMERGENCY TELEPHONE NUMBER:
Chemtrec (800) 424-9300
INFORMATION TELEPHONE NUMBER:
Wynn's (626) 334-0231

PRODUCT IDENTIFICATION

PRODUCT NAME	EFFECTIVE DATE	PRODUCT CODE
Wynn's Antifoam Concentrate	10-07-05	35601
CHEMICAL NAME		CAS NUMBER
N/A		N/A

HAZARDOUS INGREDIENTS

COMMON NAME	CHEMICAL NAME	CAS NO.	OSHA PEL	ACGIH TLV-TWA
N/A	N/A	N/A	N/A	N/A

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

PHYSICAL DATA

These data are approximate or typical values and should not be used as precise specifications. Unless otherwise noted values are at 20°C(68°F) and 760 mmHg (1 atm).

Boiling Point/Range	N/D	Freeze Point	N/D
Specific Gravity (H₂O=1) @ 15.6°C	1.026 - 1.074	Vapor Pressure (mm Hg)	N/D
Vapor Density (Air =1)	>1	Solubility in Water (%)	Dispersible
% Volatiles by Volume	N/D	Evaporation Rate (Butyl Acetate =1)	<1
pH (as is)	N/D	pH (dilute) @ 50%	7.0 - 8.5
Appearance	Translucent Off- white	Odor	Mild Odor

N/D - Not Determined

N/A - Not Applicable

< = Less Than

> = Greater Than

FIRE AND EXPLOSION HAZARD DATA

Flash Point 400°F(204°C) **Method** PMCC

Flammable or Explosive Limits (Approximate percent by volume in air)

Lower (LEL) N/A Upper (UEL) N/A

Hazard Class Identification

	Flammability 1		Hazard Code 0 - Least (insignificant) 1 - Slight 2 - Moderate 3 - High 4 - Extreme
Health 0		Reactivity 0	
	Other --		

Extinguishing Media

Foam, dry chemical, carbon dioxide, water fog

Special Fire Fighting Procedures

Use water to cool fire exposed containers. Fire fighters wear a self contained breathing apparatus.

Unusual Fire and Explosion Hazards

None indicated.

REACTIVITY DATA

Stability

Stable.

Conditions to Avoid

None.

Materials to Avoid

Strong oxidizing agents.

Hazardous Decomposition or Combustion Products

Thermal decomposition may produce carbon monoxide and carbon dioxide.

Hazardous Polymerization (conditions)

Will not occur.

HEALTH HAZARDS/ROUTES OF ENTRY

Signs, Symptoms and Effects of Overexposure

Ingestion (swallowing) May cause slight irritation to digestive tract.

Skin Contact May cause moderate irritation with prolonged or repeated contacts.

Eye Contact May be mildly irritating.

Inhalation (breathing) No acute effects expected.

Other Effects of Prolonged/Repeated Overexposure

This material has not been identified as a carcinogen by NTP, IARC or OSHA.

EMERGENCY AND FIRST AID PROCEDURES

Ingestion (swallowing) Consult a physician.

Skin Contact Wash affected area with soap and water.

Eye Contact Flush eyes with water for 15 minutes.

Inhalation (breathing) Remove person to fresh air.

Comments NOTE TO PHYSICIANS: None.

SPILL OR RELEASE CONTROL PROCEDURES

Steps to be taken in case material is released or spilled

Absorb spilled liquid with absorbent material, shovel into waste container.

Waste Disposal Method

In accordance with Federal, State and Local regulations.

EPA Reportable Quantity (RQ), 40CFR302 (CERCLA104)

N/A

EPA Toxic Chemical Release Reporting, 40CFR372(SARA313)

Chemical	CAS NO.	% in Product
N/A	N/A	N/A

HANDLING AND STORAGE

Handling and Storage Precautions

Store in cool dry place. Avoid prolonged storage above 110°F. If frozen or stored above 110°F, return to room temperature and mix thoroughly before use. DO NOT store opened container.

Other Precautions

None

PERSONAL PROTECTION - EXPOSURE CONTROL

Ventilation

General ventilation.

Respiratory Protection

None required with normal use.

Eye Protection

Safety glasses.

Protective Gloves

Impervious gloves.

Other Protective Clothing or Equipment

None.

Work/Hygienic Practices

Personal cleanliness is always appropriate. Frequent washing minimizes inadvertent exposure.

TRANSPORTATION INFORMATION

Department of Transportation (DOT) Classification

	Flammable Liquid		Corrosive
	Flammable Solid		Non-Flammable Gas
	Flammable Gas	XXX	Not Hazardous by DOT
	Combustible Liquid		Other:

DOT Proper Shipping Name

N/A

DOT ID Number

N/A

DOCUMENTATION

Product Code No.: 35601
Previous Code No.: 35601

Issue Date: 10-07-05
Prior Date: 06-19-00

This information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.