



MATERIAL SAFETY DATA SHEET

Wynn's Professional Products Carburetor Cleaner High Delivery - Aerosol

WYNN'S
A division of Illinois Tool Works Inc.
1151 West Fifth Street
Azusa, California 91702

EMERGENCY TELEPHONE NUMBER:
Chemtrec (800) 424-9300
INFORMATION TELEPHONE NUMBER:
Wynn's (626) 334-0231

PRODUCT IDENTIFICATION

PRODUCT NAME	EFFECTIVE DATE	PRODUCT CODE
Wynn's Professional Products Carburetor Cleaner, High Delivery – Aerosol	12-30-05	63101
CHEMICAL NAME	CAS NUMBER	
N/A	N/A	

HAZARDOUS INGREDIENTS

COMMON NAME	CHEMICAL NAME	CAS NO.	OSHA PEL	ACGIH TLV-TWA
Acetone	2 Propanone	67-64-1	1000 ppm	500 ppm
Xylene	Mixed Xylenes	1330-20-7	100 ppm	100 ppm
Ethyl Benzene	Ethyl Benzene	100-41-4	100 ppm	100 ppm
Methyl Acetate	Acetic acid, methyl ester	79-20-9	200	200 ppm
Carbon Dioxide	Carbon Dioxide	124-38-9	5000 ppm	5000 ppm

Contains no other ingredients now known to be hazardous as defined by OSHA 29CFR 1910.1000(z) and 29CFR 1910.1200.

PHYSICAL DATA

These data are approximate or typical values and should not be used as precise specifications. Unless otherwise noted values are at 20°C(68°F) and 760 mmHg (1 atm).

Boiling Point/Range	133-284EF (56-140EC)	Freeze/Melt Point	N/D
Specific Gravity (H₂O=1) @ 15.6°C	0.8 – 0.9	Vapor Pressure (PSIG @ 70EF)	75-85
Vapor Density (Air =1)	>1	Solubility in Water (%)	Negligible
% Volatile Organic Compounds (CARB)	≤45%	Evaporation Rate (Butyl Acetate = 1)	>1
pH (as is)	N/A	pH (dilute) @ %	N/A
Appearance	Clear liquid	Odor	Solvent

N/D - Not Determined

N/A - Not Applicable

< = Less Than

> = Greater Than

FIRE AND EXPLOSION HAZARD DATA

Flash Point	-4° F (-20°C) (Based on acetone)	Method	TCC
--------------------	-------------------------------------	---------------	-----

Flammable or Explosive Limits (Approximate percent by volume in air)

Lower (LEL)	N/D	Upper (UEL)	N/D
-------------	-----	-------------	-----

Hazard Class Identification

Health 2	Flammability 4	Reactivity 0	Hazard Code 0 - Least (insignificant) 1 - Slight 2 - Moderate 3 - High 4 - Extreme
	Other ---		

Extinguishing Media

Carbon dioxide, dry chemicals, foam or water fog.

Special Fire Fighting Procedures

Use water to cool fire exposed containers. Fire fighters wear a self contained breathing apparatus.

Unusual Fire and Explosion Hazards

Aerosol cans may rupture when exposed to heat.

REACTIVITY DATA

Stability

Stable.

Conditions to Avoid

Avoid spraying around open flame. Avoid high temperature sources.

Materials to Avoid

Strong oxidizers, acids.

Hazardous Decomposition or Combustion Products

Oxide of carbon

Hazardous Polymerization (conditions)

WILL NOT OCCUR.

HEALTH HAZARDS/ROUTES OF ENTRY

Signs, Symptoms and Effects of Overexposure

Ingestion (swallowing)	Harmful if swallowed. Can cause vomiting, dizziness, headaches, loss of coordination. Aspiration hazard.
Skin Contact	Can cause skin irritation. Prolonged contact may cause redness, burning, drying and cracking of skin.
Eye Contact	May cause eye irritation. Direct contact with liquid causes stinging, tearing, blurred vision and pain.
Inhalation (breathing)	High concentrations of vapors or mist has anesthetic effect. Causes nose and throat irritation. Signs of inhalation are headaches, dizziness and loss of coordination.

Other Effects of Prolonged/Repeated Overexposure

This material contains a trace amount of chemical that has been identified as a carcinogen by NTP, IARC or OSHA. Overexposure to high concentrations of vapors or mist are anesthetic. Can affect the central nervous system, lungs, liver and kidneys. This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

EMERGENCY AND FIRST AID PROCEDURES

Ingestion (swallowing)	DO NOT induce vomiting. Call a physician immediately.
Skin Contact	Remove contaminated clothing. Wash effected area with soap and water.
Eye Contact	Flush with water for 15 minutes. If irritation persists, seek medical attention.
Inhalation (breathing)	Remove person to fresh air to avoid further inhalation.
Comments	NOTE TO PHYSICIANS: Exposure to high vapor concentrations of this material may be associated with cardiac abnormalities. Aspiration hazard.

SPILL OR RELEASE CONTROL PROCEDURES

Steps to be taken in case material is released or spilled

Eliminate all ignition sources. Ventilate area and restrict entry. Wear protective equipment. Keep liquid out of sewer and water ways.

Waste Disposal Method

Dispose of in accordance with Federal, State and local regulations.

EPA Reportable Quantity (RQ), 40CFR302 (CERCLA104)

Acetone (5000 lbs.), Xylene (100 lbs), Ethyl Benzene (1000 lbs)

EPA Toxic Chemical Release Reporting, 40CFR372(SARA313)

Chemical	CAS NO.	% in Product
Xylene	1330-20-7	20-30
Ethylbenzene	100-41-4	1-5

HANDLING AND STORAGE

Handling and Storage Precautions

Extremely flammable. Keep away from heat, sparks, open flame. Avoid contact with skin and eyes. Use adequate ventilation. Store in cool dry place. DO NOT puncture or incinerate.

Other Precautions

KEEP OUT OF REACH OF CHILDREN.

PERSONAL PROTECTION - EXPOSURE CONTROL

Ventilation

Provide adequate general or local ventilation to maintain concentrations below TLV/PEL limits..

Respiratory Protection

If vapors exceed TLV/PEL limits, use a NIOSH approved respirator.

Eye Protection

Use safety glasses with side-shields.

Protective Gloves

Use chemical-resistant gloves.

Other Protective Clothing or Equipment

None required.

Work/Hygienic Practices

Personal cleanliness is always appropriate. Frequent washing minimizes chances of inadvertent exposure.

TRANSPORTATION INFORMATION

Department of Transportation (DOT) Classification

	Flammable Liquid		Corrosive
	Flammable Solid		Non-Flammable Gas
XXX	Flammable Gas		Not Hazardous by DOT
	Combustible Liquid		Other:

DOT Proper Shipping Name

Aerosols, flammable

DOT ID Number

UN 1950

Note: Consumer Commodity, ORM-D may be used for ground transportation within the USA.

DOCUMENTATION

Product Code No.: 63101
Previous Code No.: 63101

Issue Date: 12-30-05
Prior Date: 03-03-05

This information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.